

# ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

07 00 [1891]

Date of Preparation  
Mar 30, 2022

**PRODUCT NUMBER**

1090510

**PRODUCT NAME**

ATX™ Spot Clearcoat (Part A)

**MANUFACTURER'S NAME**

THE SHERWIN-WILLIAMS COMPANY  
4440 Warrensville Center Road  
Warrensville Heights, OH 44128

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

**Hazard Category (for SARA 311.312)**

1090510 = | Acute | Chronic | Fire |

**Product Weight**

7.75 lb/gal

**Specific Gravity**

0.93

**FLASH POINT**

47 °F PMCC

**Volatile Ingredients**

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Acetone 67-64-1	N	Y	N	N	16	19
Methyl n-Propyl Ketone 107-87-9	N	N	N	N	1	2
Methyl n-Amyl Ketone 110-43-0	N	N	N	N	2	3
n-Butyl Propionate 590-01-2	N	N	N	N	15	16
Ethyl 3-Ethoxypropionate 763-69-9	N	N	N	N	3	3
n-Butyl Acetate 123-86-4	N	Y	N	N	26	28
2-Butoxyethyl Acetate 112-07-2	N	N	Y - Glycol Ethers (SARA)	Y - Glycol Ethers (HAPS)	1	1

**Regulated Compounds**

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Glycol Ethers (SARA)	N	N	Y	N	1	
Glycol Ethers (HAPS)	N	N	N	Y	1	

**Volatile Organic Compounds - U.S. EPA / Canada**

	1090510	
	LB/Gal	g/L
Coating Density	7.75	928
	By wt	By vol
Total Volatiles	65.1%	71.4%
Federally exempt solvents		
Water	0.0%	0.0%
Acetone	15.9%	18.7%
Organic Volatiles	49.2%	52.7%
Percent Non-Volatile	34.9%	28.6%
VOC Content	LB/Gal	g/L
Total	3.80	456
Less exempt solvents	4.68	561
Of solids	13.33	1597
Of solids	1.40 lb/lb	1.40 kg/kg
	By wt	
By wt LVP-VOC	49.2%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.65**

**Volatile Organic Compounds - California**

	1090510	
	LB/Gal	g/L
Coating Density	7.75	928
	By wt	By vol
Total Volatiles	65.1%	71.4%
Exempt solvents		
Water	0.0%	0.0%
Acetone	15.9%	18.7%
Organic Volatiles	49.2%	52.7%
Percent Non-Volatile	34.9%	28.6%
VOC Content	LB/Gal	g/L
Total	3.80	456
Less exempt solvents	4.68	561
Of solids	13.33	1597
Of solids	1.40 lb/lb	1.40 kg/kg
	By wt	
By wt LVP-VOC	49.2%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.61**

**Volatile Organic Compounds - South Coast Air Quality Management District, California, US**

	1090510	
	LB/Gal	g/L
Coating Density	7.75	928
	By wt	By vol
Total Volatiles	65.1%	71.4%
Exempt solvents		
Water	0.0%	0.0%
Acetone	15.9%	18.7%
Organic Volatiles	49.2%	52.7%
Percent Non-Volatile	34.9%	28.6%
VOC Content	LB/Gal	g/L
Total	3.80	456
Less exempt solvents	4.68	561
Of solids	13.33	1597
Of solids	1.40 lb/lb	1.40 kg/kg

**Volatile Organic Compounds - EU Directive 2004/42/EC**

	1090510	
	By wt	By vol
Total Volatiles	65.1%	71.4%
VOC Content	LB/Gal	g/L
Total	5.04	604

**Volatile Organic Compounds - EU Directive 2010/75/EU**

	1090510	
	By wt	By vol
Total Volatiles	65.1%	71.4%
VOC Content	LB/Gal	g/L
Total	5.04	604

**Volatile Organic Compounds - Mexico**

	1090510	
	LB/Gal	g/L
Coating Density	7.75	928
	By wt	By vol
Total Volatiles	65.1%	71.4%
Exempt solvents		
Water	0.0%	0.0%
Acetone	15.9%	18.7%
Organic Volatiles	49.2%	52.7%
Percent Non-Volatile	34.9%	28.6%
VOC Content	LB/Gal	g/L
Total	3.80	456
Less exempt solvents	4.68	561
Of solids	13.33	1597
Of solids	1.40 lb/lb	1.40 kg/kg

### Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	1090510	
	LB/Gal	kg/L
Volatile HAPS	0.08	0.010
Of solids	0.30	0.036
Of solids	0.03 lb/lb	0.03 kg/kg

### Air Quality Data

**Density of Organic Solvent Blend**

7.06 lb/gal

**Photochemically Reactive**

No

### Additional Regulatory Information

**US EPA TSCA:**

Not Applicable

**Relevant identified uses of the substance or mixture and uses advised against:**

Not Applicable

### Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.